

instapower

Bhavishya Ko Jagmagane Do!!



LED

LIGHTING YEAR

2016

PRODUCT CATALOGUE



PRODUCT RANGE

2016



Downlights @ President House, New Delhi



Ceiling Lights/Downlights @ Indus Tower, Gurgaon



Ceiling Lights @ Safdarjung Hospital, New Delhi



Lighting @ An office, New Delhi




MR16 @ Jewellery showroom, Gold Souk, Gurgaon



Ceiling/downlights @ Apollo Hospital, New Delhi



Ceiling Lights @ An office, New Delhi



Ceiling Lights @ The Indure Private Limited, New Delhi



Downlights @ Jewellery showroom, Gold Souk, Gurgaon



Solar Street Lights @ an rural area of UP



Street Lights @ Sector-14, Gurgaon under an Pilot project



Post Top Lantern @ Vijaypath Rajghat, New Delhi



Architectural Lights @ Janeshwar Mishra Park, Lucknow



Street Lights @ Metro Station, Faridabad



Architectural Lights @ Bikaner Railway Station, Rajasthan



Display Board @ Manali, Himachal Pradesh



Architectural Lights @ Rail Bhawan, New Delhi




Solar Aviation Lights @ Udaipur Airport, Rajasthan

Wall washer

Linear | 60W

Wall washer is used for theme based architectural lighting for indoor and outdoor application.



Code - 80 05.30 | Fixture Colour - SS

- Brass cable gland for water and dust protection
- High temperature silicone gasket on both ends for moisture protection
- Direction adjustable mounting brackets
- Clear toughened glass on top for protection
- Throw of light is approx. 60 feet
- DMX controller (optional)
- Easy to install with the help of screw
- Weight : 4 Kg


Type	• Power LED
Power Consumption	• 60W
IP Rating	• 67
Operating Voltage	• 110-250 V AC
LED Color	• CW/WW/RGB

* For ordering DMX controller add 0.250 after product code

Wall washer

Linear | 20W

Wall washer is used for theme based architectural lighting for indoor and outdoor application.



Code - 80 40.18 | Fixture Colour - SS

- Brass cable gland for water and dust protection
- High temperature silicone gasket on both ends for moisture protection
- Direction adjustable mounting brackets
- Clear toughened glass on top for protection
- Throw of light is approx. 30 feet
- DMX controller (optional)
- Easy to install with the help of screw
- Weight : 2.5 Kg

Type	• Power LED
Power Consumption	• 20W
IP Rating	• 67
Operating Voltage	• 110-250 V AC
LED Color	• CW/WW/RGB

* For ordering DMX controller add 0.250 after product code



Code - BL-SL.36 | Fixture Colour - Black

Colour +

Colour+ is used for theme based architectural lighting for indoor and outdoor application, where it produces millions of colours through the microprocessor controller. One could have different colours on each of the 365 days in a year.

- Die cast with black powder coating
- Throw of light approx. 60 feet
- DMX Controller (optional)
- Easy to install with the help of screw
- Weight : 3.9 Kg

Type	• Power LED
Power Consumption	• 48W
IP Rating	• 65/66
Beam angle	• 25
Operating Voltage	• 110-250 V AC
LED Color	• RGB

Actual product of Color+ may vary as shown above.



Magic Glow

Magic Glow is a flexible light strip that is used as decorative lighting for indoor and outdoor applications.

- External SMPS power supply to operate 15 Mtrs
- Amplifier can be added for lengths > 15 Mtrs
- DMX controller available for RGB option
- Roll length : 5 Mtrs
- Operating Voltage : 12 VDC
- IP Rating : 54
- IP 65 model also available.
- Easy to install
- Weight : 0.8 Kg

Code • 132
Color Temperature • WW
Power Consumption • 6-7 W/Mtr

.....
Code • 133
Color Temperature • CW
Power Consumption • 6-7 W/Mtr

.....
Code • 134
Color Temperature • RGB
Power Consumption • 12-14 W/Mtr